THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

Chief Secretary's Office, Adelaide, May 8th, 1893.

JNO. W. DOWNER, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of March, 1888-93.

Years	1388.	1889.	1890.	1891.	1892.	Average of Five	, 1893. 332,998											Total
Population, Mar. 1st	305,492	306,535	310,118	314,230	321,653	Years.												for 1893
Births	960	926	902	753	914	891	939								2,500			
Rate per cent	*314	*302	•291	•240	•284	_					•2	82					7	
					28		All Ages.	Under l year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- fied causes of Death.	
Deaths-					1000			Un	l a un	a g nn	20 un	40 un	09 nu	08 nb	Nesta	1nc	‡C) fied of	
All causes	301	311	313	287	377	318	402	114	42	37	61	55	74	18	1	39	16	1,041
Rate per cent	•099	101	.101	-091	•117	_	•121	-	_	-	_	0.	_		_		_	
Diseases— 1. Specific Febrile																		
or Zymotic	49	60	67	44	73	-	82	36	17	9	7	4	7	2		-	_	
II. Parasitic	2	2	1	2	100 -	-	3	1	-		1	1	-	-		-		
III. Dietic	6	1	7	2	5	-	4	3	_	-	-	-	. 1	-	-	-	-	
IV. Constitutional	53	61	52	48	64	-	61	1	_	10	22	12	15	1	-	-	-	
v. Developmental	35	27	31	35	33	-	48	18 32	-	-	-	-	17	12	1	-	-	
vi. Local	115	120	112	117	136	-	152		19	10	26	33	30	2	-	-	-	
vii. Violence	14	22	11	14	15	-	30	2	5	8	5	5	4	1	-	_	_	
not specified	0=	10	00	0.5							•							
causes	27	18	32	25	51	-	22	21	1					-			-	

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Including inquests.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of March, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Other constitutional diseases	_	3	Accidents of childbirth		5
Measles	-	- 1	V.		-	Diseases of locomotive sys-		
Scarlet fever	-	1	Premature birth	13	_	tem		2
Relapsing fever	-	- 1	Cyanosis		_	Diseases of integumentary		-
Influenza	_	7	Congenital defects,,	5		system	-	
Whooping-cough	4	6	Old age	_	30	VII.		
Diphtheria	_	10	VI.		00	(Accident.)		
Simple and ill-defined fever	_	_	Apoplexy	_	10	Fracture and contusion		15
Enteric fever	_	4	Epilepsy		5	Gunshot wound		
Simple cholera	3		Convulsions	8	1	Cut stab		1
Diarrhœa, dysentery	26	13	Other diseases of brain and	0	1	Cut, stab		1
Remittent fever	_	0	nervous system	5	14	Burn and scald		1
Venereal affections	1		Diseases of organs of special	0	14	Poison	-	1
Erysipelas	1	1	Diseases of organs of special			Drowning	-	4
Pyæmia and septicæmia	1	1	Discourse of sireulators	-	-	Suffocation	_	1
Puerperal fever		3	Diseases of circulatory sys-		00	Otherwise	2	1
Other zymotic diseases	-	0	tem	-	23	(Homicide.)		
II.	-		Croup	-	2	Murder and manslaughter	-	_
	1		Bronchitis	2	9	(Suicide.)	12.15	
Thrush	1	-	Pneumonia	5	11	Gunshot wound		- 2
Worms and other parasitical			Pleurisy	1	2	Cut, stab		
diseases		2	Other diseases of respiratory		S to dall	Poison		1
			system		2	Drowning		1
Privation—want of breast milk	3	-	Dentition	4	3	Hanging		-
Alcoholism	-	1	Quinsy, sore throat	-		Otherwise		
IV.			Enteritis	4	8	VIII.		
Rheumatic fever and rheuma-			Peritonitis	1	2	Dropsy	21	1
tism of heart	-	3	Diseases of liver	_	2	Debility, atrophy, inanition	_	
Rheumatism	-		Other diseases of digestive			Mortification		
Gout	-	1	system	1	10	Tumor		1
Cancer, malignant disease	-	15	Diseases of lymphatic sys-			Abscess		
Tabes mesenterica	_		tems and of ductless glands	_		Hæmorrhage		
Tubercular meningitis	1	2	Diseases of urinary system	1	6	Sudden, cause unascertained		-
Phthisis	_	33	Diseases of generative sys-	1		Other ill defined and		
Scrofula, tuberculosis		3	tem		3	Other ill-defined and not		
		1			0	specified causes		-

Return of Births and Deaths registered in City of Adelaide in the Month of March, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five Years.					13	893.						Total for
Population, Jan. 1st	36,219	36,600	37,189	37,727	38,240	iears.			1		39,	073						1893.
Births	132	84	76	75	97	93				008	!	96						.288
Rate per cent	*364	•230	•204	•199	•254	_	- 246							-1				
Deaths—							All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	66	55	63	58	97	68	88	25	7	10	18	8	17	3	_	4	_	243
Rate per cent	·182	·150	•169	154	•254		•225	_	_	_		_		_		_	_	a table
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 12. Constitutional 13. V. Developmental 14. Violence 15. VIII. Violence 16. VIII. Ill-defined and not specified causes	$ \begin{array}{r} 17 \\ \hline 2 \\ 13 \\ 8 \\ 21 \\ 2 \end{array} $	9 ————————————————————————————————————	9 1 3 15 6 21 6	9 1 10 9 21 1	$ \begin{array}{r} 10 \\ \hline 3 \\ 26 \\ 7 \\ 37 \\ 2 \end{array} $		16 1 2 19 9 32 4	8 -2 -4 6 -	3 - - 3 1	3 - 4 - 2 1	1 1 8 - 8	1 - 3 - 4						

*Including inquests.

+Not certified by qualified practitioners.

Causes of Deaths registered in the Month of March, 1893.

) [[1		1)
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I. Measles			Scrofula, tuberculosis Other constitutional diseases V.		2 2	Accidents of childbirth Diseases of locomotive system Diseases of integumentary system	=	1
Whooping-cough Diphtheria Simple and ill-defined fever Enteric fever Simple cholera		2 3 — 1 —	Premature birth	$\frac{2}{2}$		VII. (Accident.) Fracture and contusion Gunshot wound Cut, stab		4
Diarrhœa, dysentery Remittent fever Venereal affections Erysipelas Pyæmia and septicæmia	8 —		VI. Apoplexy Epilepsy Convulsions Other diseases of brain and		<u>5</u> 	Burn and scald Poison Drowning Suffocation Otherwise		
Puerperal fever Other zymotic diseases II.	=	1	nervous system Diseases of organs of special sense Diseases of circulatory system	3	3 - 6	(Homicide.) Murder and manslaughter (Suicide.)	_	
Thrush	_	1	Croup Bronchitis Pneumonia Pleurisy Other diseases of respiratory	1	2	Gunshot wound Cut, stab Poison Drowning Haging		
Privation—want of breast milk Alcoholism	2	_	systemDentition Quinsy, sore throat Enteritis		1 1 —	Hanging Otherwise VIII. Dropsy		_
Rheumatic fever and rheumatism of heart Rheumatism Gout	_	1	Peritonitis Diseases of liver Other diseases of digestive system		1 - 4	Debility, atrophy, inanition Mortification Tumor. Abscess	5 —	
Cancer, malignant disease Tabes mesenterica Tubercular meningitis Phthisis	_	5 - 9	Diseases of lymphatic sys- tems and of ductless glands Diseases of urinary system Diseases of generative system			Hæmorrhage	_	-

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of March, 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7:4
Births Male Female	96 54 42	11 7 4	16 15 1	13 5 8	33 15 18	10 6 4	13 6 7
Deaths Male Female	69 37 32	12 5 7	13 9 4	16 9 7	14 6 8	4 3 1	10 5 5
CLASSES. 1. Specific Febrile or Zymotic Diseases 11. Parasitic Diseases 11. Dietic Diseases 12. Constitutional Diseases 23. V. Developmental Diseases 24. Local Diseases 25. Vi. Local Diseases 26. Vii. Violence 27. Violence 28. Viii. Ill-defined and not specified causes	15 	2 - 2 4 3 - 1	2 — 2 7 — 2	4 -1 3 1 7 -	3 -1 3 -4 1 2	1 - 2 - 1 -	3 ————————————————————————————————————
Percentage of Deaths to population of each Ward	.177	•193	•189	•198	149	•109	-207

Causes of Deaths registered in the Month of March, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.			Phthisis		6	Accidents of childbirth		
Measles	_	_	Scrofula, tuberculosis		1	Diseases of locomotive system	_	
Scarlet fever	-		Other constitutional diseases.	_	1	Diseases of integumentary		
Relapsing fever	_	_				system	-	_
nfluenza		1	V.			2,20022		
Vhooping-cough	-	2	Premature birth	2				
iphtheria	_	3	Cyanosis	_		VII.		
imple and ill-defined fever	_		Congenital defects	2		(Accident.)		
nteric fever	_	000-	Old age	_	4	Fracture and contusion		2
imple cholera	-	-				Gunshot wound	-	-
iarrhœa, dysentery	8	_	VI.			Cut, stab	-	_
lemittent fever	-	_	Apoplexy	_	4	Burn and scald	-	_
enereal affections	-	-	Epilepsy	_	_	Poison		-
rysipelas	-		Convulsions	2	_	Drowning	_	_
yæmia and septicæmia	-		Other diseases of brain and			Suffocation	-	_
uerperal fever	_	1	nervous system	3	2	Otherwise	_	-
ther zymotic diseases	-	_	Diseases of organs of special			(Homicide.)		
-			sense	_	_	Murder and manslaughter	_	_
II.			Diseases of circulatory system	-	4	(Suicide.)		
hrush	_	_	Croup	_	_	Gunshot wound	_	-
Vorms and other parasitical			Bronchitis		2	Cut, stab	_	-
diseases	-	_	Pneumonia	1	_	Poison	_	-
TIT			Pleurisy	-	_	Drowning	_	_
III.			Other diseases of respiratory			Hanging	-	-
rivation — Want of breast	2		system	-		Otherwise	_	-
milk	2		Dentition	_	1	77177		
lcoholism	_	_	Quinsy, sore throat	-	-	VIII.	-	
IV.			Enteritis	_	1	Dropsy	5	
heumatic fever and rheu-			Peritonitis	_	1	Debility, atrophy, inanition	_	-
		1	Diseases of liver	_	_	Mortification	_	-
matism of heart	_	1	Other diseases of digestive		1	Tumor	_	
heumatism			system	_	4	Abscess		
out	_	3	Diseases of lymphatic systems			Hæmorrhage		
ancer, malignant diseaseabes mesenterica	_	-	and of ductless glands	_	_	Sudden, cause unascertained.		-
			Diseases of urinary system	-	1	Other ill-defined and not spe-		
ubercular meningitis	_	_	Diseases of generative system	_	1	cified causes	-	-

G. H. AYLIFFE, Registrar-General of Births and Deaths.

MARCH, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 105°·3 on the 1st; and the lowest, 47°·5, on the 23rd. The mean temperature of the month was 72°·2.

The greatest range of the thermometer in one day, 40°·1, took place on the 2nd, viz., from a maximum of 104°·7 to a minimum of 64°·6; the lowest range, 16°·9, on the 7th.

The mean height of the barometer was 29°965 inches; the maximum, 30°247 inches, occurred on the 22nd; and the minimum, 29°637 inches, on the 1st

on the 1st.

Observatory, Adelaide, April 6th, 1893.

C. Todd, Observer.

Births and Deaths registered in the under-mentioned corporate towns in the Quarter ended March 31st, 1893.

	Estimated		tered du Quarter.	ring	The Deaths registered in the Quarter include Deaths from—										
Corporate Towns.	Population Jan. 1st, 1893		Deat							Diseases of			Diseases of		
		Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Respira- tory System.	Phthisis.	Circula- tory System.		
Adelaide Hindmarsh Thebarton Port Adelaide Semaphore Glenelg Brighton Unley St. Peters Kensington and Norwood Gawler Kapunda Burra Clare Jamestown Port Augusta Port Pirie Kadina Moonta Wallaroo	39,073 8,564 4,095 5,241 7,564 3,814 910 12,109 6,043 12,380 2,200 2,053 2,314 992 1,087 1,340 4,304 1,562 1,585 1,790	288 71 42 34 71 28 6 103 42 100 11 14 28 10 11 12 61 20 12	243 26 13 29 28 7 2 44 21 36 8 12 8 5 3 2 18 5	70 13 8 11 8 3 — 19 9 11 1 3 2 — 1 7 — 3			3 - 1 - - - 1 1 - 1 - 1 - 3 - -	8 5 1 1 1 1 1 2 3 1 1	5 1 1 1 2 1	20 5 4 1 1 1 - 2 4 1 1 2 1 - - 1	14 1 1 3 2 3 2 1 1 1 1 1 3 1 1	26 1 1 3 2 6 1 5 1 2 2 1	21 1 1 3 3 3 - 1 4 - 1 - 1		
Goolwa Strathalbyn Mount Gambier	673 857 2, 780	6 7 21	$\frac{-}{2}$ 20	1 7	=	=	<u>-</u> 1	=			<u>-</u>		=		

GEO. H. AYLIFFE, Registrar-General.